


	Dossier technique et réglementaire / <i>technical and regularoty document</i> POLYETHYLENE GLYCOL 200	Mai 2021 / <i>May 2021</i>
---	---	----------------------------



INCI: **Peg-4**
N°CAS: 25322-68-3
N°EINECS/ELINCS: –

DESCRIPTION / DESCRIPTION:

Le polyglycol 200 est un mélange de polymères provenant de l'oxyde d'éthylène, de formule générale $H-(OCH_2-CH_2)_n-OH$. Sa masse moléculaire moyenne est égale à 200 environ (correspondant à la valeur nominale n) / *Polyglycol 200 is a mixture of polymers derived from ethylene oxide, of general formula $H-(OCH_2-CH_2)_n-OH$. Its average molecular weight is about 200 (corresponding to the nominal value n)*

CARACTERISTIQUES GARANTIES / GUARANTEED SPECIFICATIONS:

CARACTERISTIQUES	SPECIFICATIONS	METHODES / METHODS
Aspect produit pur à 23°C / <i>Pure product aspect at 23°C</i>	Liquide limpide et incolore / <i>Clear, colourless liquid</i>	
Poids moléculaire moyen / <i>Average molecular weight</i>	190 – 210 g.mol ⁻¹	1BAL01
Indice d'hydroxyle / <i>Hydroxyl value</i>	535 – 590 mg KOH/ g	1BAL01
Couleur / <i>color</i>	≤ 30 PtCo	1BAL05
pH à 5 % dans eau distillée / <i>pH at 5% in distilled water</i>	4.5 – 7.5	1BAL06
Teneur en eau / <i>Water content</i>	≤ 0.5 %	1BAL08
Teneur en oxyde d'éthylène / <i>Oxide ethylene content</i>	≤ 1 ppm	1BAL09
Teneur en dioxane / <i>Dioxane content</i>	≤ 5 ppm	1BAL09
Viscosité cinématique à 99°C / <i>Kinematic viscosity at 99°C</i>	3.9 – 4.8 mm ² /s	1BAL16
Cendres sulfuriques / <i>Sulfuric ashes</i>	≤ 0.2 %	1BAL10
Teneur en métaux lourds / <i>Heavy metals content</i>	≤ 5 ppm	1BAL14

Ces éléments seront repris sur nos BA / *these elements will be on our CoA*


Ces caractéristiques sont conformes aux précédentes spécifications datées de Novembre 2014 / *These features are in accordance with previous specifications dated on November 2014*

CARACTERISTIQUES A TITRE D'INFORMATION / ADDITIONAL INFORMATION:

Indice de réfraction / *Refractive index*: 1.458
Complètement soluble dans l'eau / *Completely soluble in water*
Point éclair / *Flash point*: > 170°C
Nombre moyen de –OH / *Average OH-number*: 561
Densité / *Density*: 1.124 g /cm³

APPLICATIONS:

Produits pharmaceutiques, cosmétiques, détergents, industrie du textile et du cuir, plastiques et résines, industrie du papier, imprimerie, céramique/verre, mines, industrie du caoutchouc, industrie pétrolière, industrie du métal, bois, produits chimiques intermédiaires / *Pharmaceuticals, cosmetics, detergents, textile and leather industry, plastics and resins, paper industry, printing, ceramics/glass, mining, rubber industry, petroleum industry, metal industry, wood, chemical intermediates*


	Dossier technique et réglementaire / <i>technical and regularoty document</i> POLYETHYLENE GLYCOL 200	Mai 2021 / <i>May 2021</i>
---	---	----------------------------

CONDITIONNEMENT STANDARD / STANDARD PACKAGING:

Fûts de 220 kg, tonnelet de 60 kg / *220 kg drums, 60 kg keg*

Matière première non classifiée comme substance dangereuse / *Raw material not classified as dangerous substance*

Additives	It is reasonable to assume that the following impurities: sulphur compounds, residual propylene oxide and ethylene oxide, acrylic compounds and derivates, aromatics compounds and derivates – polycyclic aromatic compounds, bacteriologic or enzymatic compounds, carboxylic acids, fipronil, halogenated compounds, inorganic and organic, mineral oil derivates (MOSH and MOAH), nitrogen compounds inorganic and organic, paraffin wax, radioactive compounds are not present in the product
Allergen	The products listed as allergenic are not present in this product according to regulation No 1223/2009 on cosmetic products (and amendments), regulation No 1169/2011 on the provision of food information to consumers (and amendments), ALBA list, version August 2001, page 10 from 13, §26 of allergenic components
Animal Testing	No animal testing for cosmetic purposes (regulation No1223/2009/EC) has been performed on the product. Animal testing will only be performed for REACH purposes
BSE - Bovine Spongiform Encephalopathy	This product is free from BSE
California Prop 65	This product is not listed under Proposition 65 State Drinking Water and Toxic Enforcement act but following contaminants or by-products are known to the State of California to cause cancer or reproductive toxicity: Ethylene oxide (CAS:75-21-8-) < 1ppm, 1,4-dioxane (CAS:123-91-1) < 5 ppm, monoethylene glycol (CAS:107-21-1) < 0.2 %, formaldehyde (CAS:50-00-0) < 15 ppm, acetaldehyde (CAS:75-07-0) < 100ppm
Carcinogenic, Mutagenic and Reprotoxic (CMR)	This product is not tested on a routine basis for the impurities listed as CMR for reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm
Composition	(CAS:25322-68-3): Polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 620 mg/kg + (CAS:111-46-6): diethylene glycol < 4.5% + (CAS:127-09-3): sodium acetate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg
Cosmetic	diethylene glycol is present as an impurity < 4.5%. as a consequence this product is not compliant with cosmetic regulation (EC) No 1223/2009
Cosmos / Ecocert	This product is synthetic – not accepted by Cosmos
Danger	This product is not classified as dangerous according to CLP and ADR
Dioxane	Dioxane is likely to be present at concentration < 5 ppm
Ecolabel	<i>No data available</i>
European Pharmacopeia	<i>No data available</i>
Food	This product is cleared as food additive as E1521 following the European Regulation 1333/2008, amended by regulation (EC) No 1129/2011 establishing a Union list of food additives. This product do not comply with Commission Regulation (EU) No 231/2012 laying down specifications for food additives listed in annex II and III of regulation (EC) No 1333/2008, since the residual amount of ethylene oxide on the specifications is 1 ppm, which is higher than the 0.2 ppm required
Genetically Modified Organisms (GMO)	This product is free from GMO
Inventories	Compliant with China IECSC, USA TSCA (UVCB; XU), New Zealand NZIoC, Korea KECI and ECL (KE-20228), Philippines PICCS, Australia AICS, Canada DSL, Taiwan CSNN, Japan ENCS/MITI (7-129)
Geographic origin (for	Not concerned

	Dossier technique et réglementaire / <i>technical and regularoty document</i> POLYETHYLENE GLYCOL 200	Mai 2021 / <i>May 2021</i>
---	---	----------------------------

plant)	
Glycol ether	<i>No data available</i>
Halal	This product do not have a formal Halal certification, but meet the basic requirements of Halal (no material of animal origin or biological origin are used)
Heavy Metals	Heavy metals including catalyst residues: Aluminium (Al), Arsenic (As), Barium (Ba), Berillium (Be), Boron (B), Cadmium (Cd), Calcium (Ca), Cobalt (Co), Chromium (Cr), Copper (Cu), Iron (Fe), Lead (Pb), Manganese (Mn), Mercury (Hg), Molybdenum (Mo), Nickel (Ni), Selenium (Se), Silver (Ag), Tin (Sn), Titanium (Ti), Vanadium (V), Zinc (Zn) are not present in the product, if present the limit is ≤ 5 ppm
HS code	39072019
Irradiation / ionization	This product has not been treated with / has not been exposed to ionizing radiation of any type (including radioactive radiation)
Kosher	This product is Kosher and Parev certified
Latex	Latex is not present in this product
Manufacturing location	Belgium / Germany
Microbiological data	This product doesn't contain yeast, enzyme and bacteria
Nanomaterials	This product doesn't contain nanomaterials (nanoparticles, substances at nanoscale)
Nutritional data	<i>No data available</i>
Origin	Petrochemical and synthetic
Pesticide	<i>No data available</i>
Phthalate	<i>No data available</i>
Preservative	This product doesn't contain BHT
Process	This product is produced by reaction of polymerization of ethylene oxide with either water, monoethylene glycol or diethyleneglycol as starting materials: (ethylene oxide + water) -> reaction -> evaporation -> distillation -> purified glycol
REACH	This product is a polymer – exempted from REACH (the monomers are registered)
Residual Solvents	No Class 1 solvents are used in the manufacturing process and are not likely to be present, solvents of Class 2 that are likely to be present are ethylene glycol < 620 mg/kg; 1,4 dioxane, solvents of Class 3 that are likely to be present are acetic acid < 0.015 %wt, no Class 4 solvents are used in the manufacturing process and are not likely to be present in the final product according to EMA/CHMP/ICH/82260/2006 (March 2011) guideline for residual solvents
RSPO	This product doesn't contain palm derivates – not concerned
Shelf Life before re-check	4 years
Substances of Very High Concern (SVHC)	<i>No data available</i>
Volatiles organic compounds (VOC)	This product doesn't contain VOC (directive 2010/75/EU)

----- END

Ce document annule et remplace tous documents techniques et réglementaires précédents / *This document cancels and replaces all technical and regulatory previous documents.*