

INEOX PEG200

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : INEOX PEG200
Synonyms : PEG200ST; polyethylene glycol 200; polyethylene glycols
Registration number REACH : Not applicable
Exempted from registration under REACH (Regulation (EC) No 1907/2006, article 2 (9), polymers)
Product type REACH : Polymer
CAS number : 25322-68-3
Molecular mass : 200.00 g/mol
Formula : $H(C_2H_4O)_nHO$

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Solvent
Chemical intermediate

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

INEOS N.V.
Haven 1053 - Nieuwe Weg 1
B-2070 Zwijndrecht
☎ +32 3 250 91 11
✉ +32 3 252 84 33
reach.oxide.be@ineos.com

Manufacturer of the product

INEOS N.V.
Haven 1053 - Nieuwe Weg 1
B-2070 Zwijndrecht
☎ +32 3 250 91 11
✉ +32 3 252 84 33

INEOS Derivatives Lavera SAS
Avenue de la bienfaisance BP6
FR-13117 Lavera
☎ +33 4 42 35 80 00

1.4. Emergency telephone number

24h/24h :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Name REACH Registration No	CAS No EC No List No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
polyethylene glycol	25322-68-3	C≥93 %		(2)	Polymer	
ethanediol 01-2119456816-28	107-21-1 203-473-3	C≤1 %	Acute Tox. 4; H302 STOT RE 2; H373	(1)(2)(6)(10)	Impurity	

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)
Technische Schoolstraat 43 A, B-2440 Geel
<http://www.big.be>
© BIG vzw
Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4
Revision number: 0300

Publication date: 2000-12-10
Date of revision: 2023-12-01

BIG number: 50730

1 / 8

878-15800-053-en

INEOX PEG200

2,2'-oxybisethanol 01-2119457857-21	111-46-6 203-872-2	Cs6 %	Acute Tox. 4; H302	(1)(2)(10)	Impurity	
--	-----------------------	-------	--------------------	------------	----------	--

- (1) For H- and EUH-statements in full: see section 16
(2) Substance with a Community workplace exposure limit
(6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data
(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006
Note: numbers 9xx-xxx-x are provisional list numbers assigned by Echa pending an official EC inventory number

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

EXPOSURE TO HIGH CONCENTRATIONS: Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

After skin contact:

No effects known.

After eye contact:

Redness of the eye tissue.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (alcohol-resistant), Water spray if puddle cannot expand.

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4

Publication date: 2000-12-10

Date of revision: 2023-12-01

Revision number: 0300

BIG number: 50730

2 / 8

INEOX PEG200

See section 8.2

6.2. Environmental precautions

Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Product is stable up to temperature of 250°C. Product will decompose at higher temperatures. Decomposition of product will induce a significant increase of pressure and temperature. Therefore the decomposition temperature of the product should be tested first if product can/will be heated > 250°C. Observe normal hygiene standards. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a dry area. May be stored under nitrogen.

7.2.2 Keep away from:

Heat sources, oxidizing agents, (strong) acids, (strong) bases, moisture.

7.2.3 Suitable packaging material:

Stainless steel, carbon steel.

7.2.4 Non suitable packaging material:

Copper.

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

PNEC

INEOX PEG200

Compartments	Value	Remark
Fresh water	0.273 g/l	
Fresh water (intermittent releases)	1 mg/l	
Marine water	27.3 mg/l	
Marine water (intermittent releases)	0.1 mg/l	
Fresh water sediment	1030 mg/kg sediment dw	
Marine water sediment	103 mg/kg sediment dw	
Soil	46.4 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Product is stable up to temperature of 250°C. Product will decompose at higher temperatures. Decomposition of product will induce a significant increase of pressure and temperature. Therefore the decomposition temperature of the product should be tested first if product can/will be heated > 250°C. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4

Publication date: 2000-12-10

Date of revision: 2023-12-01

Revision number: 0300

BIG number: 50730

3 / 8

INEOX PEG200

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

c) Eye protection:

Eye protection not required in normal conditions.

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid
Colour	Colourless
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	-65 °C
Boiling point	> 200 °C
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	> 149 °C
Auto-ignition temperature	> 320 °C
Decomposition temperature	> 250 °C
pH	4.5 - 7.0 ; 5 %
Kinematic viscosity	Not determined
Solubility	Water ; complete
Log Kow	-0.7 ; Experimental value ; Equivalent to OECD 107 ; 30 °C
Vapour pressure	< 0.01 hPa ; 20 °C
Absolute density	1124 kg/m ³
Relative density	1.124
Relative vapour density	> 1
Particle size	Not applicable (liquid)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with (strong) oxidizers. Reacts with (some) acids.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Product is stable up to temperature of 250°C. Product will decompose at higher temperatures. Decomposition of product will induce a significant increase of pressure and temperature. Therefore the decomposition temperature of the product should be tested first if product can/will be heated > 250°C.

10.5. Incompatible materials

Oxidizing agents, (strong) acids, (strong) bases, moisture.

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

INEOX PEG200

No (test)data available

Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4

Publication date: 2000-12-10

Date of revision: 2023-12-01

Revision number: 0300

BIG number: 50730

4 / 8

INEOX PEG200

polyethylene glycol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50		> 15000 mg/kg		Rat		
Dermal	LD50		> 20000 mg/kg				

Conclusion

Not classified for acute toxicity

Corrosion/irritation

INEOX PEG200

No (test)data available

Conclusion

Not classified as irritating to the eyes

Not classified as irritating to the skin

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

INEOX PEG200

No (test)data available

Conclusion

Not classified as sensitizing for inhalation

Not classified as sensitizing for skin

Specific target organ toxicity

INEOX PEG200

No (test)data available

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

INEOX PEG200

No (test)data available

Mutagenicity (in vivo)

INEOX PEG200

No (test)data available

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

INEOX PEG200

No (test)data available

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

INEOX PEG200

No (test)data available

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

INEOX PEG200

Not classified for aspiration toxicity

Toxicity other effects

INEOX PEG200

No (test)data available

Chronic effects from short and long-term exposure

INEOX PEG200

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4

Publication date: 2000-12-10

Date of revision: 2023-12-01

Revision number: 0300

BIG number: 50730

5 / 8

INEOX PEG200

SECTION 12: Ecological information

12.1. Toxicity

INEOX PEG200

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 100 mg/l	96 h	Poecilia reticulata	Static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EC50	OECD 202	> 100 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	> 100 mg/l	96 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Nominal concentration

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

INEOX PEG200

Biodegradation water

Method	Value	Duration	Value determination
OECD 301D	75 %; Oxygen consumption	28 day(s)	Experimental value

Conclusion

Water

Readily biodegradable in water

12.3. Bioaccumulative potential

INEOX PEG200

Log Kow

Method	Remark	Value	Temperature	Value determination
Equivalent to OECD 107		-0.7	30 °C	Experimental value

Conclusion

Not bioaccumulative

12.4. Mobility in soil

INEOX PEG200

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	1.9	Experimental value

Conclusion

Highly mobile in soil

12.5. Results of PBT and vPvB assessment

Substance does not meet the criteria of PBT, nor the criteria of vPvB according to Annex XIII of Regulation (EC) No 1907/2006, so is neither PBT nor vPvB.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

INEOX PEG200

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4

Publication date: 2000-12-10

Date of revision: 2023-12-01

Revision number: 0300

BIG number: 50730

6 / 8

INEOX PEG200

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

07 01 99 (wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals: wastes not otherwise specified).

Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 04 (metallic packaging).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number/ID number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

14.4. Packing group

Packing group	
Labels	

14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

14.6. Special precautions for user

Special provisions	
Limited quantities	

14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
0 %	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

National legislation United Kingdom

No data available

Other relevant data

No data available

15.2. Chemical safety assessment

No chemical safety assessment is required.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

H302 Harmful if swallowed.

H373 May cause damage to organs (kidneys) through prolonged or repeated exposure if swallowed.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level

Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4

Publication date: 2000-12-10

Date of revision: 2023-12-01

Revision number: 0300

BIG number: 50730

7 / 8

INEOX PEG200

EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
Erc50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2.3; 6; 7.1; 8.2; 9.1; 10.4

Publication date: 2000-12-10

Date of revision: 2023-12-01

Revision number: 0300

BIG number: 50730

8 / 8