

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Reference number: SOUDE CAUSTIQUE
Issue date: 12/19/2019 Revision date: 9/27/2022 Supersedes version of: 3/28/2022 Version: 3.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Substance name	: SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS
Chemical name	: sodium hydroxide; caustic soda
EC Index-No.	: 011-002-00-6
EC-No.	: 215-185-5
CAS-No.	: 1310-73-2
REACH registration No	: 01-2119457892-27
Product code	: SOUDE CAUSTIQUE
Product group	: Raw material

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use
Function or use category	: Catalyst, pH-regulating agents, Cleaning product

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

INTERCHIMIE
ZAC du Parc 13 rue Louis Blériot
FR- 77290 COMPANS
T T: +33 (0)1 64 77 76 27
qualite@interchimie.fr - www.interchimie.fr

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314

Full text of H- and EUH-statements: see section 16

Specific concentration limits:

(0.5 ≤ C < 2)	Skin Irrit. 2, H315
(0.5 ≤ C < 2)	Eye Irrit. 2, H319
(2 ≤ C < 5)	Skin Corr. 1B, H314
(5 ≤ C < 100)	Skin Corr. 1A, H314

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains

: Sodium hydroxide

Hazard statements (CLP)

: H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP)

: P260 - Do not breathe dust, fume, gas, mist, spray, vapours.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor, a POISON CENTER.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS
CAS-No. : 1310-73-2
EC-No. : 215-185-5
EC Index-No. : 011-002-00-6

Name	Product identifier	%
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	≥ 99

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Respiratory arrest: artificial respiration or oxygen. Call a physician immediately.

First-aid measures after skin contact

: Wash with plenty of water/.... Take off immediately all contaminated clothing. Call a physician immediately. Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion

: Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER/doctor. If breathing is difficult, give oxygen.

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Corrosive to the respiratory tract. Cough. Shortness of breath.
Symptoms/effects after skin contact	: Burns. Rednesses.
Symptoms/effects after eye contact	: Serious damage to eyes. Lacrimation. Redness of the eye tissue. Can cause blindness.
Symptoms/effects after ingestion	: Burns. Swallowing a small quantity of this material will result in serious health hazard. Nausea. Vomiting. May cause gastric irritation. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

En cas de difficulté d'ouverture des paupières, administrer un collyre analgésique (oxybuprocaine).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Making extinguishing agents environment-friendly.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non combustible. Not flammable.
Reactivity in case of fire	: Reacts violently with water. Gives off hydrogen by reaction with metals.

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Prevent fire fighting water from entering the environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ensure adequate air ventilation. Use protective clothing.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe vapours. Do not breathe dust. Avoid contact with skin and eyes. Take any precaution to avoid mixing with Incompatible products.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product. Minimise generation of dust.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations". For further information refer to section 13.

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not eat, drink or smoke when using this product. Wear personal protective equipment. Do not breathe dust. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Reacts with water.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from moisture.
- Incompatible materials : Metals.
- Packaging materials : SUITABLE MATERIAL: stainless steel, polypropylene. paper with plastic inner lining.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS (1310-73-2)

Austria - Occupational Exposure Limits

MAK (OEL TWA)	2 mg/m ³ (einatembare Fraktion)
MAK (OEL STEL)	4 mg/m ³ max. 8x5 min./Schicht (einatembare Fraktion) (gemessen als Momentanwert)

Czech Republic - Occupational Exposure Limits

PEL (OEL TWA)	1 mg/m ³
NPK-P (OEL C)	2 mg/m ³

France - Occupational Exposure Limits

VLE (OEL C/STEL)	2 mg/m ³ INRS ED 984
------------------	---------------------------------

Hungary - Occupational Exposure Limits

AK (OEL TWA)	2 mg/m ³
CK (OEL STEL)	2 mg/m ³

Ireland - Occupational Exposure Limits

OEL STEL	2 mg/m ³
----------	---------------------

Lithuania - Occupational Exposure Limits

NRV (OEL C)	2 mg/m ³
-------------	---------------------

Poland - Occupational Exposure Limits

NDS (OEL TWA)	0.5 mg/m ³
NDSch (OEL STEL)	1 mg/m ³

Slovakia - Occupational Exposure Limits

NPHV (OEL TWA) [1]	2 mg/m ³
--------------------	---------------------

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS (1310-73-2)

Spain - Occupational Exposure Limits

VLA-EC (OEL STEL)	2 mg/m ³
-------------------	---------------------

Sweden - Occupational Exposure Limits

NGV (OEL TWA)	1 mg/m ³
TGV (OEL C)	2 mg/m ³

United Kingdom - Occupational Exposure Limits

WEL STEL (OEL STEL)	2 mg/m ³
---------------------	---------------------

Norway - Occupational Exposure Limits

Takverdi (OEL C) [1]	2 mg/m ³
----------------------	---------------------

Switzerland - Occupational Exposure Limits

MAK (OEL TWA) [1]	2 mg/m ³
KZGW (OEL STEL)	2 mg/m ³
Remark	(einatembarer Staub)

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL C	2 mg/m ³
-------------	---------------------

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS (1310-73-2)

DNEL/DMEL (Workers)

Long-term - systemic effects, inhalation	1 mg/m ³
--	---------------------

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Ensure exposure is below occupational exposure limits (where available).

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection:

Protective gloves. Polyvinylchloride (PVC). Hydrogenated Nitrile -Butadiene rubber (HNBR). Butyl rubber (IIR). Natural rubber (NR)

Other skin protection

Materials for protective clothing:

Neoprene. Polyvinylchloride (PVC)

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
	Type P2		

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Molecular mass	: 40.01 g/mol
Odour	: odourless.
Odour threshold	: Not available
Melting point	: 318.4 °C
Freezing point	: Not applicable
Boiling point	: 1.388 pression : 101.3 kPa
Flammability	: Non flammable.
Explosive properties	: Not applicable.
Oxidising properties	: No dangerous reactions known.
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: > 13
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Soluble in alcohols. Water: 1.1 g/l 20°C
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 1 hPa 739°C
Vapour pressure at 50 °C	: Not available
Density	: 1.14 kg/m³ 20°C
Relative density	: Not applicable
Relative vapour density at 20 °C	: 2.13 20°C
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle specific surface area : Not available
Particle dustiness : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with water. May react violently with acids. Reacts exothermically with (some) acids. Gives off hydrogen by reaction with metals.

10.4. Conditions to avoid

Direct sunlight. Overheating. Moisture. gel.

10.5. Incompatible materials

metals. Water. Acids. Oxidizing agent.

10.6. Hazardous decomposition products

Hydrogen.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: > 13
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: > 13
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Corrosive to eyes, respiratory system and skin
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS (1310-73-2)

Viscosity, kinematic	Not applicable
----------------------	----------------

11.2. Information on other hazards

No additional information available

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS (1310-73-2)

LC50 - Fish [1]	35 – 189 mg/l
EC50 - Other aquatic organisms [1]	40.4 (48h) - Ceriodaphnia

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS (1310-73-2)

Mobility in soil	solubilité et mobilité importantes (eau, sol/sédiments)
------------------	---

12.5. Results of PBT and vPvB assessment

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS (1310-73-2)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Neutralize remainder with acid. Dilute with plenty of water.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1823	UN 1823	UN 1823	UN 1823	UN 1823
14.2. UN proper shipping name				
SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	Sodium hydroxide, solid	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
Transport document description				
UN 1823 SODIUM HYDROXIDE, SOLID, 8, II, (E)	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II	UN 1823 Sodium hydroxide, solid, 8, II	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C6
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2W

Transport by sea

Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG35
MFAG-No	: 154

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y844
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 859
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 863
CAO max net quantity (IATA)	: 50kg
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C6
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C6
Limited quantities (RID)	: 1kg
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS is not on the REACH Candidate List

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS is not on the REACH Annex XIV List

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian DSL (Domestic Substances List)

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on NZIoC (New Zealand Inventory of Chemicals)

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 142)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

A chemical safety assessment has been carried out
disponible sur demande.

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Supersedes version of	Modified	
	Revision date	Modified	
	Regulatory framework	Modified	
1.1	Name	Added	
1.1	Trade name	Removed	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	

Data sources : This MSDS has been established with data of MSDS coming from upstream suppliers.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A

SOUDE CAUSTIQUE & SOUDE CAUSTIQUE COSMOS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.