A Company of the Firmenich Group

# Safety data sheet

according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

## Version number: 14.0

Revision date: 14.11.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: <u>TERPINEOL BRUT</u>
- Substance name according to REACH identification requirements:

Reaction mass of  $\alpha, \alpha, 4$ -trimethyl-(1S)-3-cyclohexene-1-methanol and  $\alpha, \alpha, 4$ -trimethyl-(1R)-3-cyclohexene-1-methanol and 1-methyl-4-(1-methylethylidene)-cyclohexanol

- · Common CAS Number: 8000-41-7
- · EC number: 701-188-3
- · REACH Registration number: 01-2119553062-49-0000
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: production and distribution of the substance, intermediate, industrial formulation, fragrance substance, solvent, formulation and use of coatings, inks, strippers, lubricants and agrochemicals.
- 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

LES DERIVES RESINIQUES & TERPENIQUES (DRT) 30 rue Gambetta BP 90206 40105 DAX CEDEX FRANCE Tel: 33-(0)5 58 56 62 00 Fax: 33-(0)5 58 56 62 40 Email: <u>fds@drt.fr</u>

• 1.4 Emergency telephone numbers

NCEC (24/24 – 7/7) Europe: +44 1235 239670 Global / English speaking countries: +44 1865 407333 Other countries: see section 16

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



GHS07 exclamation mark

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008: The substance is classified and labelled according to the CLP regulation.
- · Hazard pictograms:



- · Signal word: Warning
- · Hazard statements:

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- Precautionary statements:

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	(contd. on p

(contd. on page 2)

GF

A Company of the Firmenich Group

# Safety data sheet

according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

Version number: 14.0

Revision date: 14.11.2022

#### Trade name: TERPINEOL BRUT

(contd. of page 1)
38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Dispose of contents and container in accordance with local/regional/national/international regulations.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT:

According to Annex XIII of REACH Regulation, the substance is not considered to be Persistent, Bioaccumulative and Toxic.

· vPvB:

According to Annex XIII of REACH Regulation, the substance is not considered to be very Persistent and very Bioaccumulative.

· Determination of endocrine-disrupting properties

The substance is not included in the list established in accordance with Article 59(1) of REACH regulation for having endocrine disrupting properties, and is not a substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/210056 or Commission Regulation (EU) 2018/605.

## **SECTION 3: Composition/information on ingredients**

#### · 3.1 Substances

According to the identification rules of REACH, this product is a <u>multiconstituent substance</u>, consisting of the following constituents:

- (-)-alpha-terpineol [α,α,4-trimethyl-(1S)-3-cyclohexene-1-methanol - CAS 10482-56-1]

- (+)-alpha-terpineol [α,α,4-trimethyl-(1R)-3-cyclohexene-1-methanol CAS 7785-53-7]
- gamma-terpineol [1-methyl-4-(1-methylethylidene)-cyclohexanol CAS 586-81-2]

According to REACH, the constituents of a multiconstituent substance are, by definition, present at more than 10%. Components present at less than 10% are considered as impurities.

Main impurities:

- cis-beta-terpineol [cis-1-methyl-4-(1-methylethenyl)-cyclohexanol - CAS 7299-41-4]

- trans-beta-terpineol [trans-1-methyl-4-(1-methylethenyl)-cyclohexanol CAS 7299-40-3]
- 3-terpinen-1-ol [4-isopropyl-1-methylcyclohex-3-en-1-ol CAS 586-82-3]
- delta-terpineol [α,α-dimethyl-4-methylene cyclohexanemethanol CAS 7299-42-5]
- terpinen-1-ol-4 [1-isopropyl-4-methylcyclohex-3-en-1-ol CAS 562-74-3]

"Substance terpineol multiconstituent" (constituents + impurities) forms - according to the definition of a substance under REACH - 100% of the product.

#### Identification number(s)

- · Common CAS Number: 8000-41-7
- · EC number: 701-188-3
- · Description:

Reaction mass of (-)-alpha-terpineol (p-menth-1-ene-8-ol - CAS 10482-56-1) and (+)-alpha-terpineol [(R)- $\alpha$ , $\alpha$ ,4-trimethylcyclohex-3-ene-1-methanol - CAS 7785-53-7] and gamma-terpineol [1-methyl-4-(1-methylethylidene) cyclohexane-1-ol - CAS 586-81-2]

## · Impurities and stabilising additives (classified as hazardous):

CAS: 562-74-3 EINECS: 209-235-5 Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H336

• Additional information: For the wording of the listed hazard statements, refer to section 16.

(contd. on page 3)

according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

#### Version number: 14.0

Revision date: 14.11.2022

#### Trade name: TERPINEOL BRUT

(contd. of page 2)

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· After inhalation:

Supply fresh air. If symptoms are experienced, get medical attention.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:
- Immediately rinse with plenty of water.

Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation occurs.

· After eye contact:

Immediately rinse with plenty of water. Remove contact lenses, if present and easy to do. Hold eyelids apart and flush eyes with plenty of cool low-pressure water for 15 minutes. Consult an ophthalmologist.

· After swallowing:

Do not induce vomiting.

If the person is conscious, rinse out mouth with water.

Seek immediate medical advice.

· 4.2 Most important symptoms and effects, both acute and delayed No data available.

## **SECTION 5: Firefighting measures**

- · 5.1 Suitable extinguishing agents
- Foam

Fire-extinguishing powder

Carbon dioxide (CO<sub>2</sub>)

- 5.2 Special hazards arising from the substance or mixture In case of fire, may release irritant and toxic fumes.
- 5.3 Advice for firefighters
- · Protective equipment:
- Firefighters should wear appropriate protective equipment and self-contained breathing apparatus.
- · Additional information: Cool endangered receptacles with water spray.

## **SECTION 6: Accidental release measures**

 $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. Keep unprotected persons away. Provide adequate ventilation.

6.2 Environmental precautions

Do not allow product to reach soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (soil, waterways, drains or sewers). 6.3 Methods and material for containment and cleaning up

Small spills:

Absorb spilled liquid with inert absorbent. Collect in an appropriate container properly labelled. Close it for disposal. Large spills:

Stop spill if it can be done without danger. Dike. Pump as much liquid as possible with an explosion-proof pump or a hand pump. Absorb the remaining liquid with inert absorbent. Collect in an appropriate container properly labelled. Close it for disposal.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Wear appropriate personal protective equipment. Provide adequate ventilation in the workplace.

(contd. on page 4)



Safety data sheet according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

#### Version number: 14.0

Revision date: 14.11.2022

## Trade name: TERPINEOL BRUT

<ul> <li>Information about fire - and explosion protection:</li> <li>Protect from heat.</li> <li>Keep ignition sources away.</li> <li>7.2 Conditions for safe storage</li> <li>If possible, store the drums or ecobulk under shelter in a cool and well ventilated place.</li> <li>Keep container type drums or ecobulk tightly closed.</li> <li>Keep away from sources of ignition.</li> <li>Protect drums or ecobulk from high heat and direct sunlight.</li> <li>Further information about storage conditions:</li> <li>Recommended materials for storage: stainless steel, aluminium.</li> <li>Some plastics and elastomers may not be compatible with the product.</li> <li>7.3 Specific end use(s) Only identified uses listed in section 1 are covered by exposure scenarios.</li> </ul>	td. of page 3)
SECTION 8: Exposure controls/personal protection	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace: None</li> <li>DNELs</li> </ul>	
<ul> <li>DNEL (Derived No-Effect Level): Workers - Long-term exposure terpineol multiconstituent (EC 701-188-3)</li> <li>Systemic effects - inhalation: 44.8 mg/m<sup>3</sup></li> <li>Systemic effects - dermal: 6.36 mg/kg body weight/day</li> </ul>	
<ul> <li>DNEL (Derived No-Effect Level): General population - Long-term exposure terpineol multiconstituent (EC 701-188-3) Systemic effects - inhalation: 7.96 mg/m<sup>3</sup> Systemic effects - dermal: 2.69 mg/kg body weight/day Systemic effects - oral: 2.69 mg/kg body weight/day</li> </ul>	
· PNECs	
<ul> <li>PNEC (Predicted No-Effect Concentration) aqua (freshwater): 12 µg/L</li> <li>PNEC (Predicted No-Effect Concentration) aqua (marine water): 1.2 µg/L</li> <li>PNEC (Predicted No-Effect Concentration) Sewage Treatment Plant: 2.57 mg/L</li> <li>PNEC (Predicted No-Effect Concentration) sediment (freshwater): 0.263 mg/kg sediment dry weight</li> <li>PNEC (Predicted No-Effect Concentration) sediment (marine water): 0.026 mg/kg sediment dry weight</li> <li>PNEC (Predicted No-Effect Concentration) soil: 0.045 mg/kg soil dry weight</li> <li>PNEC (Predicted No-Effect Concentration) oral: 16.6 mg/kg food</li> <li>PNEC (Predicted No-Effect Concentration) aqua (intermittent releases): 120 µg/L</li> </ul>	
<ul> <li>Additional information: This sheet is based on the current valid lists for occupational exposure limit values at the time of its prepara DNELs and PNECs values are derived from the chemical safety assessment conducted for REACH.</li> </ul>	tion. The
<ul> <li>8.2 Exposure controls</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Emergency eye wash for and safety showers should be available in the immediate vicinity of any potential exposure. Immediately remove all soiled and contaminated clothing. Avoid contact with eyes and skin.</li> <li>Personal protective equipment</li> <li>Respiratory protection: If ventilation is insufficient, use a breathing apparatus (filtering device with type A cartridge or insulating devi source of fresh air independent of the ambient air).</li> </ul>	
<ul> <li>Hand protection Protective gloves resistant to chemicals (standard EN 374-1). They should be replaced regularly and if there indication of degradation.</li> </ul>	-
(cont	d. on page 5)



according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

· Eye/face protection

#### Version number: 14.0

For qualifying operations with increased risk (eg: connection/disconnection of hoses, purges, sampling, etc.) wear

Revision date: 14.11.2022

#### Trade name: TERPINEOL BRUT

Safety glasses (standard EN 166).

SECTION 9: Physical and chemical properties			
• 9.1 Information on basic physical and	chemical properties		
· General Information			
· Appearance:			
· Physical state:	Liquid		
· Colour:	Colourless - slightly yellow		
· Odour:	Turpentine-like		
<ul> <li>Odour threshold:</li> </ul>	Not determined		
<ul> <li>Change in condition</li> </ul>			
<ul> <li>Melting/freezing point:</li> </ul>	-35,9 to -28,2°C [OECD 102 / Regulation (EC) No. 440/2008 / EU A1 test /		
<b>_</b>	capillary method]		
• Boiling point or boiling range:	214°C [literature data]		
· Flammability:	The substance is not ignitable		
<ul> <li>Lower and upper explosion limits</li> <li>Lower:</li> </ul>	No doto ovoilable		
· Upper:	No data available No data available		
· Flash point:	88°C [Regulation (EC) No. 440/2008 / EU A9 test / equilibrium method		
	(setaflash method - closed cup) / 101 325 Pa]		
· Auto-ignition temperature:	264°C [Regulation (EC) No. 440/2008 / EU A15 test / 98 kPa]		
· Decomposition temperature:	Not determined		
· pH value:	Not applicable		
· Viscosity			
· Kinematic viscosity:	Not determined		
· Dynamic viscosity:	60,9 mPa.s (20°C - constant shear rate 583 s-1); 12,4 mPa.s (40°C -		
	constant shear rate 583 s-1) [OECD 114 / rotational viscometer method]		
· Solubility			
· in water:	2 847 mg/L (20°C, at 24, 48 and 72 hours) [OECD 105 / Regulation (EC)		
	No. 440/2008 / EU A6 test / flask method]		
Partition coefficient (n-octanol/water)			
· Vapour pressure:	381 Pa (25°C) [OECD 104 / Regulation (EC) No. 440/2008 / EU A4 test /		
· Density and/or relative density	static method]		
· Relative density:	0,92 - 0,94 (20°C) [OECD 109 / Regulation (EC) No. 440/2008 / EU A3 test		
· Relative defisity.	/ oscillating densimeter]		
· Vapour density:	Not determined		
· Explosive properties:	The components of the substance do not contain any chemical groups		
	associated with explosive properties		
	The substance was not sensitive to heating or shock in a test carried out		
	according to EU method A.14.		
<ul> <li>Oxidising properties:</li> </ul>	The components of the substance do not contain any chemical groups		
	associated with explosive properties		
• Evaporation rate:	Not determined		
9.2 Other information	No other data		

(contd. on page 6)

GE



#### 14.11.2022

· Body protection: Protective work clothing.

safety glasses (standard EN 166) AND a face shield.

(contd. of page 4)

according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

#### Version number: 14.0

Revision date: 14.11.2022

#### Trade name: TERPINEOL BRUT

(contd. of page 5)

SECTION 10:	Stability and	reactivity
-------------	---------------	------------

- · 10.1 Reactivity No data from specific reactivity tests are available for this product or this class of product.
- · 10.2 Chemical stability
- Product stable under storage and handling conditions according to specifications (see section 7).
- · 10.3 Possibility of hazardous reactions
- No hazardous reactions known except those with incompatible products listed in point 10.5.
- · 10.4 Conditions to avoid Keep away from heat and sources of ignition.
- 10.5 Incompatible materials
- Strong acids Strong oxidising agents

Materials that react with oxygenated terpenes

• 10.6 Hazardous decomposition products No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

#### · LD<sub>50</sub>/LC<sub>50</sub> values relevant for classification:

Oral	LD₅₀	> 2 000 mg/kg (rat) (OECD 401)
Dermal	LD₅₀	> 2 000 mg/kg (rat) (OECD 402)
Inhalation	LC <sub>50</sub> (4 h)	> 4.76 mg/L (rat) (OECD 403)

Note: no acute toxicity (either local or systemic) was identified at the highest dose tested by inhalation (4.76 mg/L). Oral and dermal LD<sub>50</sub> are higher than 2 000 mg/kg. Therefore, no signs of acute toxicity are expected by inhalation at concentrations used for classification.

#### · Skin corrosion/irritation:

Terpineol multiconstituent and alpha-terpineol (main constituent) were found to be skin irritating (category 2), in several studies in vivo conducted on rabbits according to OECD 404 Guideline.

#### · Serious eye damage/irritation:

The substance was found to be eye irritating (category 2), in a study conducted on rabbits according to OECD 405 Guideline.

· Skin sensitisation:

The substance is not classified based on the following result: no skin sensitisation effects were observed in a Guinea Pig Maximisation Test (GPMT) conducted according to OECD 406 Guideline.

#### • Mutagenicity/genotoxicity:

Results of the tests conducted with the substance and one of its main constituents show that it has no genotoxic potential:

terpineol multiconstituent and alpha-terpineol were not mutagenic in several Ames tests (OECD 471 Guideline);
 no genotoxic effects were observed with the substance in an <u>in vitro</u> chromosome aberration test in human lymphocytes (OECD 473 Guideline);

- alpha-terpineol was not mutagenic in a gene mutation test on mouse lymphoma L5178Y cells (OECD 476 Guideline).

#### · Carcinogenicity:

The substance is not expected to be carcinogenic: no mutagenic effects were observed with the substance and there is no evidence from the repeated dose toxicity studies that terpineol multiconstituent is able to induce hyperplasia or pre-neoplastic lesions.

### Reproductive toxicity:

Based on findings from three studies conducted on rats, there is strong evidence that no reproductive effects are likely to occur by the possible routes of human exposure.

A prenatal developmental toxicity study was conducted according to OECD 414 Guideline. Administration of the substance by gavage to pregnant female rats at doses up to 600 mg/kg body weight/day did not induce effects considered as adverse on pup survival and development.

NOAEL (maternal toxicity) = 600 mg/kg body weight/day

NOAEL (enbryo-foetal toxicity) = 600 mg/kg body weight/day

A prenatal developmental toxicity study was conducted according to OECD 414 Guideline. Administration of the

(contd. on page 7)

GB





Safety data sheet according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

Version number: 14.0

Revision date: 14.11.2022

## Trade name: TERPINEOL BRUT

	(contd. of page 6)
substance by gavage to pregnant female rabbits at doses up to 500 mg/kg body weight/day did	not induce effects
considered as adverse on pup survival and development. NOAEL (maternal toxicity) = 500 mg/kg body weight/day	
NOAEL (maternal toxicity) = 500 mg/kg body weight/day NOAEL (enbryo-foetal toxicity) = 500 mg/kg body weight/day	
No effects were observed on the reproductive organs in two 90-day repeated toxicity studies co	inducted on rats: by
inhalation according to OECD 413 Guideline and by oral route.	-
Specific target organ toxicity - single exposure:	
No specific target organ toxicity leading to classification was observed in the LD <sub>50</sub> determinatior • Specific target organ toxicity - repeated exposure:	n studies.
Available data presented below do not lead to any classification of the substance.	
In a repeated dose toxicity study, daily administration of terpineol multiconstituent by gavage for	r 5 weeks to male and
female rats was generally well tolerated at dose levels up to 750 mg/kg body weight/day.	
NOAEL = 250 mg/kg (testicles) There is strong evidence that no effects will occur when animals are exposed through a route re	olovant for human
exposure (diet) rather than gavage.	
A 90-day repeated dose toxicity study was carried out by inhalation on rats, according to OECD	
Administration of the substance to male and unmated female rats, at dose levels up to 2.23 mg	J/L, was well tolerated
and no effects were observed on reproductive organes. NOAEL = 2.23 mg/L	
• Aspiration hazard: After swallowing, no entry into the respiratory tract is expected.	
<ul> <li>Additional toxicological information:</li> <li>CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):</li> </ul>	
According to Regulation (EC) No 1272/2008, the substance is not considered to be CMR.	
· 11.2 Information on other hazards	
• Endocrine disrupting properties	no en dotiono for honino
The substance is not included in the list established in accordance with Article 59(1) of REACH endocrine disrupting properties, and is not a substance identified as having endocrine disrupting	
accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/210056 or	
Regulation (EU) 2018/605.	
SECTION 12: Ecological information	
•	
· 12.1 Aquatic toxicity	
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal     </li> </ul>	concentration - OECD
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)     </li> </ul>	
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cordition)     </li> </ul>	
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)     </li> </ul>	ncentration - OECD
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cordition)     </li> </ul>	ncentration - OECD
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal COR 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal COR 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)      </li> </ul>	ncentration - OECD
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)     </li> </ul>	ncentration - OECD
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)         • Toxicity to aquatic microorganisms:      </li> </ul>	ncentration - OECD al concentration -
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)     </li> </ul>	ncentration - OECD al concentration -
<ul> <li>• 12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)         • Toxicity to aquatic microorganisms:         No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study.         • Terrestrial toxicity:     </li> </ul>	ncentration - OECD al concentration - e, in a ready
<ul> <li>12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)         Toxicity to aquatic microorganisms:         No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study.         Terrestrial toxicity:         LC<sub>50</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality     </li> </ul>	ncentration - OECD al concentration - e, in a ready
<ul> <li>12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)         Toxicity to aquatic microorganisms:         No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study.         Terrestrial toxicity:         LC<sub>50</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline)     </li> </ul>	ncentration - OECD al concentration - e, in a ready - nominal
<ul> <li>12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)         • Toxicity to aquatic microorganisms:         No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study.         • Terrestrial toxicity:         LC<sub>50</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (12 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (12 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (12 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OE</li></ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration -
<ul> <li>12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline)         LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value)         Toxicity to aquatic microorganisms:         No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study.         Terrestrial toxicity:         LC<sub>50</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor         OEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor     </li> </ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration -
<ul> <li>12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>so</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>so</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal COR 201 Guideline)         LL<sub>so</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>so</sub> (48 h), daphnia: 12 mg/L (calculated value)         Toxicity to aquatic microorganisms:         No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study.         Terrestrial toxicity:         LC<sub>so</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline)<!--</td--><td>ncentration - OECD al concentration - e, in a ready - nominal ominal concentration -</td></li></ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration -
<ul> <li>12.1 Aquatic toxicity         The substance is not classified because it is readily biodegradable and log Kow is less than 3.         EC<sub>so</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline)         EC<sub>so</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline)         NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal COP 201 Guideline)         LL<sub>so</sub> (96 h), fish: 12 mg/L (calculated value)         EL<sub>so</sub> (48 h), daphnia: 12 mg/L (calculated value)         Toxicity to aquatic microorganisms:         No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study.         Terrestrial toxicity:         LC<sub>so</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)         NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)         NOEC (12 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)         NOEC (12 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)         NOEC (12 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)<!--</td--><td>ncentration - OECD al concentration - e, in a ready - nominal ominal concentration -</td></li></ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration -
<ul> <li>• 12.1 Aquatic toxicity The substance is not classified because it is readily biodegradable and log Kow is less than 3. EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline) EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline) NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline) LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value) EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value) • Toxicity to aquatic microorganisms: No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study. </li> <li>• Terrestrial toxicity:</li> <li>LC<sub>50</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14</li></ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration - ninal concentration -
• <b>12.1 Aquatic toxicity</b> The substance is not classified because it is readily biodegradable and log Kow is less than 3. $EC_{so}$ (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline) $EC_{so}$ (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline) NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline) $LL_{so}$ (96 h), fish: 12 mg/L (calculated value) $EL_{so}$ (48 h), daphnia: 12 mg/L (calculated value) • <b>Toxicity to aquatic microorganisms:</b> No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study. • <b>Terrestrial toxicity:</b> $LC_{so}$ (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on mortality - no OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - non OECD 207 Guideline)	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration - ninal concentration -
<ul> <li>• 12.1 Aquatic toxicity The substance is not classified because it is readily biodegradable and log Kow is less than 3. EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline) EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline) NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal COECD 201 Guideline) LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value) EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value) • Toxicity to aquatic microorganisms: No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study. </li> <li>• Terrestrial toxicity:</li> <li>LC<sub>50</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (1</li></ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration - ninal concentration -
<ul> <li>• 12.1 Aquatic toxicity The substance is not classified because it is readily biodegradable and log Kow is less than 3. EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline) EC<sub>50</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline) NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline) LL<sub>50</sub> (96 h), fish: 12 mg/L (calculated value) EL<sub>50</sub> (48 h), daphnia: 12 mg/L (calculated value) • Toxicity to aquatic microorganisms: No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study. </li> <li>• Terrestrial toxicity:</li> <li>LC<sub>50</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14</li></ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration - ninal concentration - ninal concentration -
<ul> <li>• 12.1 Aquatic toxicity The substance is not classified because it is readily biodegradable and log Kow is less than 3. EC<sub>so</sub> (72 h), algae (Pseudokirchneriella subcapitata): 68 mg/L (based on growth rate - nominal 201 Guideline) EC<sub>so</sub> (72 h), algae (Pseudokirchneriella subcapitata): 17 mg/L (based on biomass - nominal cor 201 Guideline) NOEC (72 h), algae (Pseudokirchneriella subcapitata): 3.9 mg/L (growth and biomass - nominal OECD 201 Guideline) LL<sub>so</sub> (96 h), fish: 12 mg/L (calculated value) EL<sub>so</sub> (48 h), daphnia: 12 mg/L (calculated value) • Toxicity to aquatic microorganisms: No toxic effects were observed with this substance on activated sludge from a domestic sewag biodegradability study. </li> <li>• Terrestrial toxicity:</li> <li>LC<sub>so</sub> (14 days), earthworm (Eisenia fetida): 499 - 799 mg/kg soil dry weight (based on mortality concentration - OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14 days), earthworm (Eisenia fetida): 311 mg/kg soil dry weight (based on growth - nor OECD 207 Guideline) NOEC (14</li></ul>	ncentration - OECD al concentration - e, in a ready - nominal ominal concentration - ninal concentration - ninal concentration -

according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

#### Version number: 14.0

Revision date: 14.11.2022

#### Trade name: TERPINEOL BRUT

12.3 Bioaccumulative potential

(contd. of page 7)

No measured data are available for the substance. Based on estimations using 3 different QSARs (Quantitative
Structure-Activity Relationship methods) and the value of the partition coefficient n-octanol/water less than 3, an
accumulation in organisms is not expected.

#### · 12.4 Mobility in soil

The adsorption coefficient of the substance was determined in a study conducted according to OECD 106 Guideline:  $28.8 \le \text{Koc} \le 50.9$ .

Taken with the high water solubility, this value is low enough to suggest that terpineol multiconstituent will show limited adsorption to soil or sediment particulates, and will partition mainly to water (in the surface or ground water compartments).

### · 12.5 Results of PBT and vPvB assessment

· PBT:

According to Annex XIII of REACH Regulation, the substance is not considered to be Persistent, Bioaccumulative and Toxic.

#### · vPvB:

According to Annex XIII of REACH Regulation, the substance is not considered to be very Persistent and very Bioaccumulative.

#### · 12.6 Endocrine disrupting properties

The substance is not included in the list established in accordance with Article 59(1) of REACH regulation for having endocrine disrupting properties, and is not a substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/210056 or Commission Regulation (EU) 2018/605.

· 12.7 Other adverse effects No data available.

## **SECTION 13: Disposal considerations**

• 13.1 Waste treatment methods National and regional regulations have to be adhered to.

· Recommendation: The product has to be disposed of in an authorised incinerator, according to regulation.

Uncleaned packaging

• Recommendation: Packaging has to be sent to an authorised waste treatment facility, for recycling or disposal.

SECTION 14: Transport information	n
· 14.1 UN number or ID number	Not classified as a dangerous good under transport regulation
<ul> <li>14.2 UN proper shipping name</li> </ul>	Not classified as a dangerous good under transport regulation
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	Not applicable
· 14.4 Packing group	Not applicable
· 14.5 Environmental hazards	Not classified as a dangerous good under transport regulation
· 14.6 Special precautions for user	Not applicable
<ul> <li>• 14.7 Maritime transport in bulk according instruments</li> </ul>	to IMO Not applicable
· UN "Model Regulation"	-

## **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 1907/2006 (REACH):

The product does not contain any of the substances included in the following lists

- Annex XIV (authorisation) / substances of very high concern (SVHC)
- Annex XVII (restrictions)

(contd. on page 9)



(contd. of page 8)

Safety data sheet

according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

#### Version number: 14.0

Revision date: 14.11.2022

#### Trade name: TERPINEOL BRUT

Directive 2012/18/EU:

The product does not fulfill the criteria of the hazard categories listed in Annex I Part 1 and is not listed in Part 2.

· 15.2 Chemical safety assessment A Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

Information provided in this safety data sheet is based on our experience and present knowledge. It is a description of safety requirements and data given on the product and cannot be considered as specifications. They shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version 14.0

· Previous version: 13.0 of 06/03/2019

#### · Emergency telephone numbers (other countries):

NCEC - In-Country Numbers (24/24 - 7/7) Australia: +61 2 8014 4558 / 18000 74234 Bangladesh: +65 3158 1200 China: 400 120 6011 China (Mainland): +86 532 8388 9090 Czech Republic: +420 228 882 830 Denmark: +45 8988 2286 Finland: +358 9 7479 0199 Greece: +30 21 1198 3182 India: +65 3158 1198 India: 000 800 100 7479 Indonesia: 007 803 011 0293 Japan: +81 3 4578 9341 Malaysia: +60 3 6207 4347 New Zealand: +64 9 929 1483 / 0800 446 881 Norway: +47 2103 4452 Pakistan: +65 3158 1329 Philippines: +63 2 8231 2149 Singapore: +65 3165 2217 South Africa: +27 21 300 2732 South Korea: +82 2 3479 8401 Sri Lanka: +65 3158 1195 Sweden: +46 8 566 42573 Taiwan: +886 2 8793 3212 Thailand: 001 800 120 666 751 Turkey: +90 212 375 5231 Vietnam: +84 28 4458 2388

#### Full text of H and EUH mentions indicated in sections 2 and 3:

H302: Harmful if swallowed H315: Causes skin irritation H317: May cause an allergic skin reaction H319: Causes serious eye irritation H331: Toxic if inhaled H336: May cause drowsiness or dizziness

#### Abbreviations and acronyms:

CLP: Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging EC<sub>50</sub>: Concentration which leads to a 50% reduction in treated organism responses compared to untreated organism responses (algae) or concentration which causes effects to 50% of the tested organisms (daphnids) LC<sub>50</sub>: Lethal concentration for 50% of exposed animals  $LD_{50}$ : Lethal dose for 50% of animals exposed by oral or dermal route Koc: Organic carbon/water partition coefficient. It represents the potential of retention of the substance on soil organic matter NOEC: No Observed Effect Concentration NOAEL: No Observed Adverse Effect Level LL<sub>50</sub>: Median lethal loading rate (lethal level for 50% of fish exposed) EL<sub>50</sub>: Loading rate which causes effects to 50% of the tested organisms (daphnids)



Safety data sheet according to Article 31 of Regulation No 1907/2006/EC (REACH)

Printing date: 14.11.2022

Version number: 14.0

Revision date: 14.11.2022

(contd. of OECD: Guidelines from the Organisation for Economic Co-operation and Development PBT: Persistent, Bioaccumulative and Toxic substance vPvB: very Persistent and very Bioaccumulative substance SVHC: Substances of Very High Concern Skin Irrit. 2: Skin corrosion/irritation, Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	page 9)
<ul> <li>Sources: Literature and company data REACH dossier data</li> </ul>	
<ul> <li>Modified data compared to the previous version: The SDS has been updated according to Commission Regulation (EU) 2020/878 of 18 June 2020, amending An to Regulation (EC) No 1907/2006 (sections 2, 9, 11, 12) Update according to 12th ATP of CLP Change of emergency response service: National Chemical Emergency Centre (NCEC) (sections 1 and 16) Change in the classification of some impurities (section 3) Update of section 7 Update of section 8 Update of section 12</li> </ul>	nex II
<ul> <li>Annex: on request at the following address, fds@drt.fr</li> </ul>	
End of the safety data sheet	GB

